

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/584844	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2010/08/27 19:01
S2	8	("5552832"   "6031937"   "6192148"   "6859500"). PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2010/10/15 16:38
S3	53	(coding or encod\$3) with run with skip\$3 with (block or macro)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2010/10/16 14:32
S4	39	(coding or encod\$3) with (mode or type) with skip \$3 with (block or macro) and S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2010/10/16 14:34
S5	84	(coding or encod\$3) with run same skip\$3 with (block or macro)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2010/10/16 14:55
S6	41	(coding or encod\$3) with (mode or type) same skip \$3 with (block or macro) and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2010/10/16 14:55
S7	2	S6 not S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2010/10/16 14:55

S8	27	(coding or encod\$3) with variable with length same (coding or encod\$3) with (run or consecutive\$2) with skip\$3 with (block or macro)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2010/10/16 15:01
S9	35	(optimal or improv\$3 or effient\$2) with (coding or encod\$3) with (mode or type) with skip\$3 with (block or macro)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2010/10/16 16:04
S10	1	("2004/0146105").URPN.	USPAT	NEAR	ON	2010/10/16 16:14
S11	8	("20020085021"   "20020114397"   "20020118953"   "20030095597"   "5903313"   "6055272"   "6690881"   "6801668"). PN. OR ("6859500"). URPN.	US-PGPUB; USPAT; USOCR	NEAR	ON	2010/10/16 16:15
S12	0	(select\$3 or determin\$3 or calculat\$3) with (coding or encod\$3) with (mode or type) with skip\$3 with (block or macro) same fixed same length same variable with length	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2010/10/16 16:42
S13	143	(select\$3 or determin\$3 or calculat\$3) with (coding or encod\$3) with (mode or type) with skip\$3 with (block or macro)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2010/10/16 16:42
S14	27	fixed with length and variable with length and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2010/10/16 16:46
S15	6	(fixed or address with increment or consucutive) with skip\$4 and variable with length and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2010/10/16 16:52
S16	3	S15 not S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2010/10/16 16:53

S17	19	(fixed or address with increment or consecutive) with skip\$4 and variable with length and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2010/10/16 16:56
S18	11	S17 not S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2010/10/16 16:56
S22	26	(select\$3 or determin\$3 or calculat\$3) with (coding or encod\$3) with (mode or type) with skip\$3 with (block or macro) and S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2010/10/16 17:08
S23	853	(fix\$2 or run or huffman) with (coding or encod\$3) with (skip\$4 or zero) and (variable or hybrid or joint) with (coding or encod\$3) with (skip\$4 or zero)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2010/10/16 17:12
S24	27	(select\$3 or determin\$3 or calculat\$3 or compar\$3) with (mode or type) with skip\$3 with (block or macro) and S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2010/10/16 17:14
S25	1	S24 not S22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2010/10/16 17:14
S26	2	"5640420".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2010/10/16 17:21
S27	16	("5640420").URPN.	USPAT	NEAR	ON	2010/10/16 17:23

S28	273	(fix\$2 or run or huffman) with (coding or encod\$3) with (skip\$4 or zero) with (block or macro) and (variable or hybrid or joint) with (coding or encod\$3) with (skip\$4 or zero) with (block or macro)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2010/10/16 17:38
S29	30	(fix\$2 or run or huffman) with (coding or encod\$3) with skip\$4 with (block or macro) and (variable or hybrid or joint) with (coding or encod\$3) with skip\$4 with (block or macro)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2010/10/16 17:48
S30	68	(fix\$2 or run or huffman) with (coding or encod\$3) with skip\$4 and (variable or hybrid or joint) with (coding or encod\$3) with skip\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2010/10/16 17:48
S31	29	10/321415	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2010/10/16 18:01
S32	2	10/321415.app.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2010/10/16 18:01
S33	7	(select\$3 or determin\$3 or calculat\$3 or compar\$3) same (mode or type) same skip\$3 with (block or macro) same run with length same (variable or hybrid or joint) with (coding or encod\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2010/10/16 20:22
S34	0	240/2\$2.ccls. and block with (coding or encod\$3) and refresh and skip\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2010/11/03 11:55

S35	0	240/2\$2.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2010/11/03 11:55
S36	763	(select\$3 or determin\$3 or calculat\$3) with (optimal or minim\$2 or best or least) with (coding or encod\$3) with (mode or type) with (noise or snr or lagrange or rate or length)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2010/11/18 11:54
S37	22	(coding or encod\$3) with (mode or type) with skip \$3 with (block or macro) and S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2010/11/18 11:55
S38	135	video and skip\$4 and S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2010/11/18 12:03
S39	18169	375/240\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2010/11/18 12:26
S40	333	block with (coding or encod\$3) and refresh and skip\$4 and S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2010/11/18 12:26
S41	126	(coding or encod\$3) with (mode or type) with (noise or snr or lagrange or rate or length) and S40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2010/11/18 12:27
S42	314	S40 not S38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2010/11/18 12:27

S43	107	S41 not S38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2010/11/18 12:28
S44	249	(select\$3 or determin\$3 or calculat\$3) with (optimal or minim\$2 or best or least) with length with (coding or encod\$3) with (mode or type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2010/11/18 12:32
S45	17	("2005/0015249").URPN.	USPAT	NEAR	ON	2010/11/18 12:36
S46	13	(select\$3 or determin\$3 or calculat\$3) with (optimal or minim\$2 or best or least) with entropy with (coding or encod\$3) with (mode or type) with (noise or snr or lagrange or rate or length)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2010/11/18 12:51
S47	83	(select\$3 or determin\$3 or calculat\$3 or switch\$3) with fixed with (variable or joint or adaptive) with (optimal or minim\$2 or best or least) with (coding or encod\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2010/11/18 13:00
S48	5	("6792046").URPN.	USPAT	NEAR	ON	2010/11/18 13:28

11/ 18/ 2010 10:08:32 PM

C:\ Documents and Settings\ rtorrente\ My Documents\ EAST\ Workspaces\ 10 Series Cases  
 \ 10584844 Search.wsp